

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/4

Prophylaxis Paste

Revision 1

Revision date 2011-02-16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Prophylaxis Paste (P130266, P130247, P130268, P130246)
--------------	--

1.3. Details of the supplier of the safety data sheet

Company Address	DE Healthcare Ltd Unit 9, Kingsthorpe Business Centre, Studland Road, Kingsthorpe, Northampton NN2 6NE UK 01634878750 Emergency #: Chemtrec US (800) 424-9300 International: 001 703-527-3887 Fax +44 (0) 1634 87 87 51 Email: info@dehpbrand.com
-----------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Main hazards	No Significant Hazard
--------------	-----------------------

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EINECS No.	REACH Registration Number	Conc. (%w/w) Classification
calcium carbonate		1317-65-3			20 - 50%
Synthetic amorphous silica		112926-00-8			0 - 30%
Pumice		7631-86-9	231-545-4		0 - 40%
Glycerine		56-81-5	200-289-5		10 - 20%
Gelling Agents		53320-86-8	258-476-2		0.5 - 10%
Emollient oil		73398-61-5	277-452-2		0 - 1%
titanium dioxide		13463-67-7	236-675-5		0 - 5%

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	May cause irritation to mucous membranes. Move the exposed person to fresh air.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.

Prophylaxis Paste

Revision 1
Revision date 2011-02-16

4.1. Description of first aid measures

Skin contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions.
5.2. Special hazards arising from the substance or mixture	Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for

firefighters	Wear suitable respiratory equipment when necessary.
--------------	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area.
6.2. Environmental	

precautions

precautions	Do not allow product to enter drains. Prevent further spillage if safe.
-------------	---

6.3. Methods and material for containment and cleaning up

	Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	---

7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
--	--

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Prophylaxis Paste

Revision 1

Revision date 2011-02-16

8.1. Control parameters

calcium carbonate	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - - WEL 8-hr limit ppm: - 4 WEL 15 min limit ppm: - WEL 8-hr limit ppm: - 10 WEL 15 min limit ppm: - - WEL 8-hr limit ppm: - 4 WEL 15 min limit ppm: - WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: WEL 8-hr limit mg/m3: WEL 15 min limit mg/m3: - WEL 8-hr limit mg/m3: WEL 15 min limit mg/m3: WEL 8-hr limit mg/m3: -
Glycerine	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: -
titanium dioxide	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - - WEL 8-hr limit ppm: - 4	WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: WEL 8-hr limit mg/m3: -

8.2. Exposure controls

8.2.1. Appropriate engineering controls 8.2.2. Individual protection measures Eye / face protection Skin protection	Ensure adequate ventilation of the working area.
	Wear protective clothing.
	In case of splashing, wear: Approved safety goggles.
	Chemical resistant gloves (PVC).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State	Paste
Odour	Characteristic
Solubility	Slightly soluble in water

SECTION 10: Stability and reactivity

10.2. Chemical

stability	Stable under normal conditions.
-----------	---------------------------------

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity product.	No data is available on this
-------------------------	------------------------------

Skin corrosion/irritation May cause irritation to eyes.

SECTION 12: Ecological information

12.1. Toxicity	No data is available on this product.
----------------	---------------------------------------

SECTION 13: Disposal considerations

General information

	Dispose of in compliance with all local and national regulations.
--	---

Disposal methods

Prophylaxis Paste

Revision 1
Revision date 2011-02-16

Disposal methods

For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.

Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.

SECTION 14: Transport information

Further information

Further information The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

Labelling

Risk phrases No Significant Hazard.

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:. 9 - 9.1. information on basic physical and chemical properties.
Text of risk phrases in Section 3	<p>R10 - Flammable</p> <p>R11 - Highly flammable.</p> <p>R20/22 - Harmful by inhalation and if swallowed.</p> <p>R22 - Harmful if swallowed.</p> <p>R34 - Causes burns.</p> <p>R36 - Irritating to eyes.</p> <p>R36/37/38 - Irritating to eyes, respiratory system and skin.</p> <p>R37/38 - Irritating to respiratory system and skin.</p> <p>R38 - Irritating to skin.</p> <p>R41 - Risk of serious damage to eyes.</p> <p>R43 - May cause sensitisation by skin contact.</p> <p>R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</p> <p>R65 - Harmful: may cause lung damage if swallowed.</p>

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.